


Type RHS and RH Rocker Handle

















SEALED TO NEMA 3R

ADAPTER COUPLING FOR CSO/NSO
CONSULT FACTORY FOR NS2 MTG.

DISCLAIMER:

MAX. RECOMMENDED VOLTAGE 24 VDC

It is the customer's responsibility to determine the suitability of this device for an intended application and to insure that it is installed in accordance to appropriate regulations and standards. In safety critical applications, the customer must undertake on his own reliance appropriate testing to prevent the ultimate user from injury. The end user must be trained in the appropriate use of the device & instructed to report any malfunction or failure of this device to the appropriate authority for corrective action. Tampering with or modifying this device voids all warranties.

RHS.	RH	MODEL	DESCRIPTION	STANDARD WIRING	CONTACT RATING
		RHS-00 RH-00	BLANK HANDLE	N/A	N/A
		RHS-01 RH-01	3-POS. MOMENTARY ROCKER		<u>STANDARD:</u> 125VAC @ 15A 125VDC @ .5A 36VDC @ 12A
		RH-02	MOMENTARY PUSHBUTTON (TOP)		<u>STANDARD:</u> 250VAC @ .7A 250VDC @ .7A <u>OPTIONAL:</u> 250VAC @ 5A 220VDC @ .1A 24VDC @ 2A
		RH-03	MAINTAINED PUSHBUTTON (TOP)		
		RH-04	MOMENTARY PUSHBUTTONS (TOP & SIDE)		
		RH-05	3-POS. MOMENTARY ROCKER (TOP) & MOMENTARY PUSHBUTTON (SIDE)		<u>STANDARD:</u> (ROCKER) 125VAC @ 15A 125VDC @ .5A 36VDC @ 12A (PUSHBUTTON) 250VAC @ .7A
		RHS-06 RH-06	FLUSH BOOTED MOMENTARY PUSHBUTTON		<u>STANDARD:</u> 250VAC @ 4A
		RH-07	FLUSH BOOTED MAINTAINED PUSHBUTTON		
		RH-08	SEALED PUSHBUTTON WITH A FLEXIBLE SHAFT ACTUATOR	N/A	<u>STANDARD:</u> 125VAC @ 4A 110VDC @ .2A 12VDC @ 2A
		RHS-09 RHS-10 RHS-11	RHS-00 WITH MECHANICAL INTERLOCK RHS-01 WITH MECHANICAL INTERLOCK RHS-06 WITH MECHANICAL INTERLOCK AVAILABLE FOR PRO-4 PRO-6 ONLY	N/A	N/A

J.R. MERRITT
CONTROLS, INC.
STRATFORD, CT 06615

PUB #:

CUSTOMER:

J.R. MERRITT CONTROLS, INC.

DRAWN:

DATE:

MAS 04/19/99

QUOTE #:

JOB #:

REFERENCE #:

CHECKED:

DATE:

MODEL #:

ROCKER HANDLE OPTION DRAWING

APPROVED:

DATE:

DRAWING #:

A45.101.3081

REV:

03

3081